



VAM704/VAM705

Value-added Module with 4 M12 D-coded 10/100 Mbps LAN Ports (PoE Optional)



Pin Definition



Pin	10/100 Mbps
1	TxData+
2	RxData+
3	TxData-
4	RxData-

Specifications

I/O Outlet	4 x M12 D-coded 10/100 Mbps LAN
PoE Performance	4 x Manageable M12 output, up to 60W, supporting PoE and PoE+ <ul style="list-style-type: none">• PoE (802.3af 15.4W/port), PoE+ (802.3at 30W/port)• Manageability in total power budget and port enable/disable
Operating Temperature	-40°C to +70°C (-40°F to +158°F) with the tBOX500 series & wide operating temperature peripheral
Certifications	CE, LVD, FCC and EN 50155 certified
EMC	CE/FCC EN 61000-6-4 (Class A), EN 61000-6-2 FCC part 15 B (Class A)
	EN 50155 EN 50121-3-2, IEC 62236-3-2
LVD	EN 60950-1
Vibration	3 Grms with the tBOX500 series (5 to 500Hz, X/Y/Z direction; random, operating)
	EN 50155 EN 61373 category 1 class B
Shock	EN 50155 Half-sine pulse, 5g, 30ms (longitudinal direction), 3g, 30ms (vertical/transverse direction)

*For more information of certification/EMC/Vibration/Shock as above, please contact Axiomtek 's regional distributor

Ordering Information

VAM704 (P/N: E277704100)	• Value-added module with 4 M12 D-coded 10/100 Mbps LAN ports and designed for the tBOX500 series
VAM705 (P/N: E277705100)	• Value-added module featuring 4 M12 D-coded 10/100 Mbps LAN ports with PoE, designed for the tBOX500 series